



EPA Reg. No. 70051-107

FIFRA Section 2(ee) Recommendation

For use to control Powdery Mildew on grapes in CA, OR, WA, MI, PA, and NJ only

This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the US Environmental Protection Agency.

All applicable directions, restrictions, and precautions on the EPA-registered labels must be followed. Please contact your Certis Biologicals regional sales manager to determine the specific requirements for FIFRA §2(ee) recommendations in your respective state.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Crops: Grapes such as wine grapes, table grapes, and raisins

Application Rate: 1-2 quarts per acre

Apply Double Nickel® LC when conditions are conducive for development of Powdery Mildew. Start applications when new shoots are ½ to 1½ inches long. Repeat at 3-5 inches, 8-10 inches. Reapply according to the following schedule until disease conditions no longer exist.

Under low to moderate disease pressure, apply Double Nickel® LC every 14 days.

When disease pressure is high, apply every 7 to 10 days, as needed, to maintain control.

Thorough spray coverage of plant foliage will result in best performance. For improved performance, Double Nickel® LC can be applied alone or in combination and/or rotation with chemical fungicides labeled for this use as a tool for integrated disease management in accordance with the most restrictive label limitations and precautions. If such a mixture is planned, a compatibility "jar test" should first be conducted by mixing the correct proportions of Double Nickel® LC and these products in a small volume of water.

This FIFRA Section 2(ee) recommendation contains new or additional directions for use of this product, which may not appear on the package label. Read and observe the precautionary statements plus all other information appearing on the product labels. For Washington, this recommendation is not required to be in the possession of the user at the time of pesticide application. For all other states listed above, this recommendation must be in the possession of the user at the time of pesticide application.

Double Nickel is a registered trademark of Certis USA LLC.

DN LC 2(ee) Grapes–14-day spray interval Issued: 2021-10-25 Page 1 of 1

